

The future of science is here.

www.aaas.org/future



Science: Búsqueda



Famous Scientists Working with Instruments of Leica Microsystems

Living up to Life

Leica MICROSYSTEMS

Science AAAS SUBSCRIBE FEEDBACK

SEARCH: Science Magazine Biodiesel GO

Guest Alerts | Access Rights My Account | Sign In

Magazine News Signaling Careers Multimedia Collections

Help Science improve its Review articles! Take our three-minute [Reviews survey](#).

CURRENT ISSUE

- Rekindling Wood Energy
- Erasing a Fear Memory
- Science Podcast

Pre Science Signaling Science Express: Advance of Print

Home for Electrometry

ce

Digita el termino de búsqueda

About Search

To rephrase your search or try a new search, click "[Modify Search.](#)" ([More help with searching](#))

To search *Science* archives prior to 1996, access the JSTOR collection via [AAASMember.org](#) (an AAAS Member benefit)

Search Other Sites

- [Search Science Magazine](#)
- [Search Daily News](#)
- [Search STKE](#)
- [Search SAGE KE](#)
- [Search ScienceCareers](#)
- [Search All HighWire Journals](#)

Related Information

- [Search our ProductInfo database of scientific product information](#)

Science Magazine Search Results

Results 1 to 10 of 20 found

Sort by: [Relevance](#) | [Date](#)

[Modify Search](#)

Search for 'biodiesel' (anywhere in the article)

For this search:

For all checked items:

[\[View Next 10 Results\]](#)

☐ Converting Biomass to Biodiesel

Science 3 June 2005 308: 1373 [DOI: 10.1126/science.308.5727.1373c] (in This Week in *Science*)

...twis CHEMISTRY Converting Biomass to Biodiesel The conversion of the oxygenated hydrocarbons in biomass to saturated alkanes could provide a route to cleaner fuels from renewable.....

[Summary](#) » [PDF](#) »

☐ Carbon-Negative Biofuels from Low-Input High-Diversity Grassland Biomass

David Tilman, Jason Hill, and Clarence Lehman

Science 8 December 2006 314: 1598-1600 [DOI: 10.1126/science.1133306] (in Reports)

.....than can corn grain ethanol or soybean biodiesel. High-diversity grasslands had increasingly...ethanol and 14.4 GJ ha⁻¹ for soybean biodiesel (14). Thus, LIHD biomass converted...Estimates for corn grain ethanol and soybean biodiesel are from (14). Annual carbon.....

[Abstract](#) » [Full Text](#) » [PDF](#) » [Supporting Online Material](#) »

ADVERTISEMENT


Click here and you could win an iMac!



Science
AAAS

ADVERTISEMENT

Want to reach the best scientists faster?



[Summary »](#) [PDF »](#)

Renewable Liquid Fuels

Philip H. Abelson

Science 19 May 1995 268: 955 [DOI: 10.1126/science.268.5213.955] (in Articles)

[To Advertise](#)

[Find Products](#)

.....long-term pilot plant experience is missing. **Biodiesel** oil is a potentially important enhancer...esters of the straight-chain fatty acids. **Biodiesel** oil is in the early stages of development...containing 80% conventional fuel and 20% **biodiesel** oil has been employed. Tests using 100.....



[PDF »](#)

☐ Renewable Hydrogen from Nonvolatile Fuels by Reactive Flash Volatilization

J. R. Salge, B. J. Dreyer, P. J. Dauenhauer, and L. D. Schmidt

Science 3 November 2006 314: 801-804 [DOI: 10.1126/science.1131244] (in Reports)

.....steady-state operation with refined soy oil, **biodiesel** (the volatile methyl ester of soy oil...Results for a similar experiment with **biodiesel** instead of soy oil are shown in Fig. 2. **Biodiesel** (the methyl ester of the fatty acids from.....

[Abstract »](#) [Full Text »](#) [PDF »](#) [Supporting Online Material »](#)

Chemists get a taste of life at gathering in San Diego

F Flam

Science 1 April 1994 264: 32-33 [DOI: 10.1126/science.8140417] (in Articles)

.....experimental vehicles in the United States, "**biodiesel**" made from soy-bean and rape seed oils...like these diatoms can be turned into **biodiesel**. teins, but when starved of nitrogen...From an environmental point of view, **biodiesels** aren't perfect-they still generate nitrogen.....



[PDF »](#)

☐ The Path Forward for Biofuels and Biomaterials

Arthur J. Ragauskas, Charlotte K. Williams, Brian H. Davison, George Britovsek, John Cairney, Charles A. Eckert, William J. Frederick, Jr., Jason P. Hallett, David J. Leak, Charles L. Liotta, Jonathan R. Mielenz, Richard Murphy, Richard Templer, and Timothy Tschaplinski

Science 27 January 2006 311: 484-489 [DOI: 10.1126/science.1114736] (in Review)

[Current Issue](#) [Previous Issues](#) [Science Express](#) [Science Products](#) [My Science](#) [About the Journal](#)

Home > [Science Magazine](#) > [3 November 2006](#) > [Salge et al.](#), pp. 801 - 804

Article Views
Abstract
Full Text (HTML)
Full Text (PDF)
Figures Only
Supporting Online Material

Article Tools
Save to My Folders
Download Citation
Alert Me When Article is Cited
E-mail This Page
Submit an E-Letter
Request Permission To Use This Article
View PubMed Citation

Related Content
Similar Articles In:
Science Magazine
ISI Web of Science
PubMed

Science 3 November 2006:
Vol. 314, no. 5800, pp. 801 - 804
DOI: 10.1126/science.1131244

[< Prev](#) | [Table of Contents](#) | [Next >](#)

REPORTS
Renewable Hydrogen from Nonvolatile Fuels by Reactive Flash Volatilization
J. R. Salge, B. J. Dreyer, P. J. Dauenhauer, L. D. Schmidt

Droplets of nonvolatile fuels such as soy oil and glucose-water solutions can be flash evaporated by catalytic partial oxidation to produce hydrogen in high yields with a total time in the reactor of less than 50 milliseconds. Pyrolysis, coupled with catalytic oxidation of the fuels and their fragments upon impact with a hot rhodium-cerium catalyst surface, avoids the formation of deactivating carbon layers on the catalyst. The catalytic reactions of these products generate approximately 1 megawatt of heat per square meter, which maintains the catalyst surface above 800°C at high drop impact rates. At these temperatures, heavy fuels can be catalytically transformed directly into hydrogen, carbon monoxide, and other small molecules in very short contact times without the formation of carbon.

Department of Chemical Engineering and Material Science, University of Minnesota, 421 Washington Avenue SE, Minneapolis, MN 55455, USA.

ADVERTISEMENT
STAY PLUGGED IN

Elementary Education and More
with *Science* PODCAST

ADVERTISEMENT

SBS 13th Annual
ence
tion
e Science
very:
Bridging Research &

Haz clic en Abstract para ver su resumen. Después eliges HTML o PDF para ver el texto completo.

Science: Búsqueda



View PubMed Citation

Related Content

Similar Articles In:

- Science Magazine
- ISI Web of Science
- PubMed

Search Google Scholar for:

- Articles by Salge, J. R.
- Articles by Schmidt, L. D.

Search PubMed for:

- Articles by Salge, J. R.
- Articles by Schmidt, L. D.

My Science

- My Folders
- My Alerts
- My Saved Searches
- Sign Out

More Information

- More in Collections
- Chemistry

Related Jobs from

important process for using renewable fuels such as vegetable oils and liquids produced by hydrolysis or pyrolysis of biomass (1). Hydrogen is needed for fuel cells and for onboard combustion in vehicles for enhanced performance and reduced emissions, and syngas is used for the production of synthetic liquid fuels, chemicals, and fertilizers.

The conversion of gaseous and volatile fuels to H_2 is possible through pyrolysis (1), steam reforming (2), and partial oxidation (3-5), with or without catalysts. However, the direct processing of nonvolatile fuels such as vegetable oils, residual petroleum fuels, and liquid and solid biomass is more complicated because of their tendency to form solid carbon that interferes with process equipment and rapidly plugs pores in heterogeneous catalysts. Such heavy fuels decompose chemically before evaporation to form hydrogen, olefins, aromatics, and solid carbon.

Flash pyrolysis (reaction times typically 1 s) of heavy liquids and solid biomass has been shown (1) to produce primarily gases (syngas) and volatile liquids (bio-oils). Reaction times in these processes are limited by heat transfer into biomass particles to decompose reactants. Additionally, at least ~10% of the reactant biomass is reported to form a solid char that must be separated and removed. Nonvolatile solid biomass pellets have been shown to volatilize without the formation of carbon when exposed to very high heat fluxes ($\sim 10^6$ W/m²) (6) of focused laser light.

We used a catalyst-coated ceramic foam maintained at $\sim 800^\circ\text{C}$ by the reaction, it is possible to achieve steady-state operation with refined soy oil, biodiesel (the volatile methyl ester of soy oil), and sugar-water solutions with no external heat supplied. This process produces ~70% selectivity to H_2 with >99% conversion of the fuel. Carbon formation does not occur because the presence of O_2 produces rapid oxidation of decomposition products, and the resulting heat of reaction maintains a surface temperature of 800° to 1000°C that prevents quenching of the process that would lead to rapid carbon formation.

The reactor, sketched in Fig. 1, is similar to those described previously (5) and uses an automotive fuel injector to spray $\sim 400\text{-}\mu\text{m}$ -diameter drops onto a catalyst foam containing Rh-Ce catalyst particles at typically 2.5% by weight of each component. We placed the catalyst ~ 2 cm from the fuel injector so that the cold drops impinged directly on the front face of the catalyst. Air flowed around the fuel injector to provide a uniform flow field and to optimize mixing with the gaseous products. Air and fuel enter at 20°C ; no external heating was needed.

Mira los hipervínculos para acceso a las referencias y figuras

Montréal
April 15-19, 2007

Palais des Congrès de Montréal

For more information Visit
www.sbsonline.org

To Advertise Find Products

ADVERTISEMENT

FEATURED JOBS

FACULTY POSITIONS
Children's Memorial

[http://scholar.google.com/scholar?q=%22author%3AJ. R. +Salge%22](http://scholar.google.com/scholar?q=%22author%3AJ.%20R.%20Salge%22)

Figure 3




Fig. 3. Sketches of possible configurations of (A) conventional film boiling of a volatile drop on a hot surface, (B) reactive drop volatilization on a hot catalyst surface, (C) drop impingement and breakup on a hot catalytic surface, and (D) drop impingement and breakup on a hot catalytic porous surface. [View Larger Version of this Image \(71K JPEG file\)](#)

[Download PowerPoint Slide for Teaching](#)

[PowerPoint download feature is available to paid individual subscribers and to registered users at subscribing institutions ([register for free](#)).]

You may download the image(s) above for non-profit educational presentation use only, provided no modifications are made to the content. Any use, publication, or distribution of the image(s) beyond that permitted in the sentence above or beyond that allowed by the "Fair Use" limitations (sections 107 and 108) of the US Copyright law requires the prior [written permission of AAAS](#). This permission does not apply to images that are credited to non-AAAS sources. For images credited to non-AAAS entities, you will need to obtain permission from the entity listed in the legend or credit line before making any use of the image(s).

[Return to article](#)

Trabaja con las figuras o regresa al artículo

STAY PLUGGED IN



Elementary
Education
and More

with *Science* PODCAST

ADVERTISEMENT



Delivered
to your
computer
on the day of
publication

Click
here

to join

experiments, long-term evaluation, and modeling to optimize catalyst performance and determine the exact mechanisms of reactive flash volatilization.

Mira las referencias citadas
y los materiales de soporte

References and Notes

1. A. V. Bridgwater, *Chem. Eng. J.* **91**, 87 (2003).
2. L. Garcia, R. French, S. Czernik, E. Chornet, *Appl. Catal. A* **201**, 225 (2000). [CrossRef] [ISI]
3. G. A. Deluga, J. R. Salge, L. D. Schmidt, X. E. Verykios, *Science* **303**, 993 (2004). [Abstract/Free Full Text]
4. R. Subramanian, L. D. Schmidt, *Angew. Chem. Int. Ed.* **44**, 302 (2005). [CrossRef] [ISI]
5. J. J. Krummenacher, K. N. West, L. D. Schmidt, *J. Catal.* **215**, 332 (2003). [CrossRef] [ISI]
6. O. Boutin, M. Ferrer, J. Lede, *Chem. Eng. Sci.* **57**, 15 (2002). [CrossRef] [ISI]
7. D. C. Griffiths, K. W. Palmer, I. A. B. Reid, U.S. Patent 5,663,473 (1997).
8. S. Deb, S.-C. Yao, *Int. J. Heat Mass Transfer* **32**, 2099 (1989).
9. L. H. J. Wachters, N. A. J. Westerling, *Chem. Eng. Sci.* **17**, 1027 (1962).
10. Y. Ge, L.-S. Fan, *Phys. Fluids* **17**, 027104 (2005). [CrossRef]
11. B. S. Gottfried, C. J. Lee, K. J. Bell, *Int. J. Heat Mass Transfer* **39**, 1027 (1996).
12. M. Bussmann, S. Chandra, J. Mostaghimi, *Phys. Fluids* **17**, 027104 (2005).
13. S. Chandra, C. T. Avedisian, *Int. J. Heat Mass Transfer* **39**, 1027 (1996).
14. Our system processes approximately 0.6 kg/day of fuel. A 10 cm diameter would process ~5.2 kg/day under identical conditions. Fuel injectors to obtain sufficiently low flows, but larger diameter injectors, or different methods for uniform drop formation.
15. This research was supported by grants from the U.S. Department of Energy Initiative for Renewable Energy and the Environment at Princeton University.

Supporting Online Material

www.sciencemag.org/cgi/content/full/314/5800/801/DC1

Materials and Methods

 Web of Science®

Full Record

Record 1 of 1

Title: Flash pyrolysis of cellulose pellets submitted to a concentrated radiation: experiments and modelling

Author(s): Boutin O, Ferrer M, Lede J

Source: CHEMICAL ENGINEERING SCIENCE 57 (1): 15-25 JAN 2002

Document Type: Article

Language: English

Cited References: 18 **Times Cited:** 11

Abstract: The image furnace technology has been applied to the study of the first steps of biomass flash pyrolysis. The experiments performed with small pellets of cellulose show that the reaction primarily passes through the intermediate of short lifetime liquid species (ILC). The quantitative study of the variations of the sample mass loss and of the mass of ILC reveals the existence of a transient period followed by a steady-state regime resulting from an equilibrium between cellulose decomposition into ILC and ILC vaporization. A mathematical model has been solved in parallel. The results agree very well with the experimental measurements and yield additional information on the temperatures of cellulose pyrolysis and of ILC vaporization. (C) 2002 Elsevier Science Ltd. All rights reserved.

Addresses: Lede J (reprint author), CNRS, ENSIC, Lab Sci Genie Chim, 1 Rue Grandville, BP 451, F-54001 Nancy, France
CNRS, ENSIC, Lab Sci Genie Chim, F-54001 Nancy, France

Publisher: PERGAMON-ELSEVIER SCIENCE LTD, THE BOULEVARD, LANGFORD LANE, KIDLINGTON, OXFORD OX5 1GB, ENGLAND

Subject Category: Engineering, Chemical

IDS Number: 518NB

ISSN: 0009-2509

Record 1 of 1

Science: Búsqueda



Science AAAS SUBSCRIBE FEEDBACK

SEARCH: Science Magazine GO Advanced

T RYAN Alerts | Access Rights | My Account | Sign Out

Science / AAAS News Signaling Careers Multimedia Collections Site Help For: Readers GO

Current Issue Previous Issues Science Express Science Products My Science About the Journal

Home > Science Magazine > 3 November 2006 > Salge et al., pp. 801 - 804

Article Views

- Abstract
- Full Text (HTML)
- Full Text (PDF)
- Supporting Online Material

Article Tools

- Request Permission to Use This Article

Science 3 November 2006:
Vol. 314, no. 5800, pp. 801 - 804
DOI: 10.1126/science.1131244

Renewable Hydrogen from Nonvolatile Fuels by Reactive Flash Volatilization
J. R. Salge, B. J. Dreyer, P. J. Dauenhauer, L. D. Schmidt

SUPPORTING ONLINE MATERIAL

This supplement contains:
Materials and Methods
Figs. S1 and S2
References

[Download supplement](#)

This file is in Adobe Acrobat PDF format.

[Return to article](#)

an iMac!

Science AAAS

ADVERTISEMENT

Want to take off for a course on airborne

http://www.sciencemag.org/index.dtl Internet 100%

Trabaja con los materiales de soporte o regresa al artículo

Science: Búsqueda



Science AAAS SUBSCRIBE FEEDBACK

SEARCH: Science Magazine GO Advanced

Guest Alerts | Access Rights | My Account | Sign In

Magazine News Signaling Careers Multimedia Collections Site Help For: Readers GO

Current Issue Previous Issues Science Express Science Products My Science About the Journal

Home > Science Magazine > 3 November 2006 > Salge et al., pp. 801 - 804

Article Views

- Abstract
- Full Text (HTML)
- Full Text (PDF)
- Figures Only
- Supporting Online Material

Article Tools

- Save to My Folders
- Download Citation
- Alert Me When Article is Cited

Science 3 November 2006:
Vol. 314, no. 5800, pp. 801 - 804
DOI: 10.1126/science.1131244

REPORTS

Renewable Hydrogen from Nonvolatile Fuels by Reactive Flash Volatilization

J. R. Salge, B. J. Dreyer, P. J. Dauenhauer, L. D. Schmidt

Droplets of nonvolatile fuels such as soy oil and glucose-water solutions can be flash evaporated by catalytic partial oxidation to produce hydrogen in high yields with a total time in the reactor of less than 50 milliseconds. Pyrolysis, coupled with catalytic oxidation of the fuels and their fragments upon impact with a hot rhodium-cerium catalyst surface, avoids the formation of deactivating carbon layers on the catalyst. The catalytic reactions of the products generate approximately 1 megawatt of heat per square meter, which maintains the catalyst surface at 800°C at high drop impact rates. At these temperatures, heavy fuels can be catalytically transformed directly into hydrogen, carbon monoxide, and other small molecules in very short contact times without the formation of

ADVERTISEMENT

Exclusive New Benefit for AAAS Members

ADVERTISEMENT

NEW! Science Careers

Si quieres mas detalles para tu búsqueda cliquea en Advanced

Búsqueda Avanzada



Use the search criteria at right to search issues back to October 1996. ([More help with searching](#))

To search *Science* archives prior to 1996, access the JSTOR collection via [AAASMember.org](#) (an AAAS Member benefit)

Search Other Sites

- Search Daily News
- Search STKE
- Search SAGE KE
- Search *Science*Careers
- Search All HighWire Journals

Related Information

- Search our ProductInfo database of scientific product information

Search all available issues (summaries / abstracts since 6 October 1995; full text since 1880).

Search by Citation: Volume: Page:

Search by DOI: 10.1126/science.
([What is a DOI?](#))

Search by Keywords/Authors:

Words anywhere in the article:

☒ ANY of these words ☐ ALL of these words ☐ This exact phrase

Words in the title or abstract:

☒ ANY of these words ☐ ALL of these words ☐ This exact phrase

Words in the title only:

☒ ANY of these words ☐ ALL of these words ☐ This exact phrase

Author (last name, initial):

And (last name, initial):

Content posted: ☒ Anytime

☐ Between

and

Elije las mejores situaciones de búsqueda y características como

- periodo
- pertenencia
- secciones de la revista

Consejos de búsqueda



- Utiliza “comillas” para búsquedas exactas
- Utiliza los operadores booleanos
 - OR: Esta por defecto en el sistema, no es necesario ponerlo(sólo para organizar los términos).
 - AND: limita la búsqueda a los términos unidos por el operador
 - NOT: exclusión de términos en la búsqueda
- Truncamiento: utilice el * para recuperar otros sufijos

Buscando ediciones anteriores



Famous Scientists Working with
Instruments of Leica Microsystems

Living up to Life

Leica
MICROSYSTEMS

Science

AAAS

SUBSCRIBE

FEEDBACK

SEARCH:

Science Magazine



GO >

AAAS

Magazine

News

Signaling

Careers

Multimedia

Collections

Site Help For:

Readers



GO >

Guest Alerts | Access Rights | My Account | Sign In

Help S

Para una búsqueda por ediciones anteriores, cliquea en "Previous Issues"



Calcium Carbonate Crystallization

CURRENT ISSUE

Rekindling Wood Energy

Erasing a Fear Memory

Science Podcast


> Previous Issues

> Science Magazine Home

> Science Express: Advance of Print

> Science Products

STAY PLUGGED IN



Self-
Repairing
Materials
and More

with Science PODCAST

ADVERTISEMENT

PCR directly
from

Navegando por Science On-line



In This Section

[Previous Issues](#)

[Quarterly Author Index](#)

Search the Journal

Vol#

Pg# **GO**

Enter Keyword

Full text

GO

Advanced >

Search HighWire Journals >

Alerts & Feeds

[E-mail Alerts](#)

[RSS Feeds](#)

Contributing to Science

[Information for Authors](#)

[Submit a Manuscript](#)

In Collections

[Articles by Topic](#)

[Education Forum](#)

[Electronic Letters](#)

Previous Issues of Science

Previous issues of *Science* are available in two archives:


[Science, January 1997 to present](#) -- abstracts/summaries, full-text HTML, and full-text PDF.

[Science Classic, July 1880 to December 1996](#) -- full-text PDF access to all issues of *Science* before December 1996 (separate institutional subscription may apply).

SCIENCE, JANUARY 1997 TO PRESENT

How to access: The full text of *Science* issues since January 1997 is available online to AAAS members, to users at subscribing institutions, and on a pay-per-article basis. After one year, the full text of the research content in this part of the collection is available online without cost for individuals who [register for access](#).

Most Recent Issues

 13 March 2009 Vol. 323 (#5920) Pages 1391-1526 Table of Contents Subject Index Author Index	 6 March 2009 Vol. 323 (#5919) Pages 1249-1390 Table of Contents Subject Index Author Index	 27 February 2009 Vol. 323 (#5918) Pages 1133-1248 Table of Contents Subject Index Author Index	 20 February 2009 Vol. 323 (#5917) Pages 969-1132 Table of Contents Subject Index Author Index
---	--	--	---

Artículos por Tema

[Browse by Year](#)

[2009 - Volume 323, Issues 5910 - 5920](#)

[2008 - Volumes 319 - 322, Issues 5859 - 5909](#)

[2007 - Volumes 315 - 318, Issues 5808 - 5858](#)

Submit your paper today

CLICK HERE

Science Signaling

ADVERTISEMENT

Exclusive New Benefit for AAAS Members

AAAS Policy Alert

- Federal S&T budget
- Pending and passed legislation
- updates
- Much more

Materias

Índice de autores

***My Science* y Herramientas Personales**

Alertas de nuevos contenidos y TOC (electronic table of Content) para SOL (Science on-line)

Alertas por: Clave, Autor, Citación

ScienceNow – Alertas diarias de noticias

Alertas para carreras y subvenciones

Science On-line: Alerta por E-mail



Famous Scientists Working with Instruments of Leica Microsystems
Living up to Life
Leica
MICROSYSTEMS

Science AAAS SUBSCRIBE FEEDBACK SEARCH: Science Magazine GO >

Guest Alerts | Access Rights | My Account | Sign In

Site Help For: Readers GO >

Magazine News Signaling Careers Multimedia Collections

Help Science improve its Review articles! Take our three-minute survey.

STAY PLUGGED IN
Self-Repairing Materials and More
with Science PODCAST

Calcium Carbonate Crystallization

Current Issue
Wood Energy
Memory
S
P
Science Products

Haz clic en "subscribe" para crear una cuenta personal

Science On-line: Alerta por E-mail





May 18–21, 2009
Monday–Thursday
Atlanta, GA USA

REGISTER >

Science AAAS SUBSCRIBE FEEDBACK

SEARCH: Science Magazine GO > Advanced

Guest Alerts | Access Rights | My Account | Sign In

AAAS Magazine News Signaling Careers Multimedia Collections Site Help For: Readers GO >

Subscriptions

> Individual Subscriptions > Institutional Subscriptions

Home > Individual Subscriptions

Individual Subscriptions

- > Access Options
- > Join / Subscribe
- > Activate
- > Renew
- > Register for Free
- > Terms & Policies
- > Recommend a subscription to your school or library

Related Information


- > Manage Your Account
- > Institutional Subscriptions

SUBSCRIPTION OPTIONS FOR INDIVIDUALS

Welcome to the *Science* Online Family of Websites
Our family of sites includes *Science* magazine and *Science Signaling*.




Science magazine >
As an individual subscriber you automatically become enrolled as a member of AAAS and will also receive a weekly print subscription to *Science* Magazine plus online access to Scienceexpress the prepublication service, *Science* Magazine 1997- present, and *Science* Classic the digital archive 1880 - 1996.
More
> Join Now and Subscribe to *Science* Print
> Join Now and Subscribe to *Science* Digital Edition



Science Signaling >
Available via separate subscription resource that addresses the...
More
> Subscribe Now

STAY PLUGGED IN



Self-Repairing Materials and More

with *Science* PODCAST

ADVERTISEMENT

NEW!
Science Careers

and more...

Haz clic en "Register for Free"

Science AAAS

Help with Access Options
Return to Science Online
Return to AAASmember.org
Feedback

Individual Subscriptions
FREE REGISTRATION
LIMITED ACCESS TO SCIENCE MAGAZINE, STKE
FULL ACCESS TO SAGE KE ARCHIVE

Steps 1 2 3 4

Please select your geographic area.

☐ U.S. Address
☐ Canadian Address
☐ International Address

SUBMIT

Science AAAS

Help with Access Options
Return to Science Online
Return to AAASmember.org
Feedback

FREE REGISTRATION
LIMITED ACCESS TO SCIENCE MAGAZINE, STKE AND SAGE KE

Steps 1 2 3 4

Please set up your account information now:

A. Subscriber Information

AAAS Number: 40058896
Name: ANA PAULA HESSE
Preferred E-mail Address: ANAPAUULA.HESSE@
Telephone: 551150510975
Fax: 551150510975

B. Choose User Name and Password

In order to use Science Online you must select a user name and password. Do not share this password with anyone else. (If you forget your User Name or Password, we do have a way for you to get it back.)
Note: Passwords are case sensitive.

Please choose your User Name: (Not allowed to contain spaces or special characters)
Please choose your Password:
Please confirm your Password:

Science AAAS

Help with Access Options
Return to Science Online
Return to AAASmember.org
Feedback

FREE REGISTRATION
LIMITED ACCESS TO SCIENCE MAGAZINE, STKE AND SAGE KE

Steps 1 2 3 4

Welcome!
Your account has been successfully set up.

You have access to:

- Science Editorials, Letters and NetWatch
- Science full text Research Articles and Reports published more than one year ago back to 1997
- Science Express abstracts
- Signal Transduction Knowledge Environment - limited access
- Science of Aging Knowledge Environment Archive
- Personalization features for all subscriptions accessed through your institution.
- E-mail Alerting Services
- All Free Content on the site:

Science, Science Classics, STKE, SAGE KE Table of Contents of current issue, SAGE KE, abstracts and summaries
Material
s
Next Wave and GrantsNet
ScienceNOW stories published within the past four weeks

Sigue los 4 pasos